

TM600-1500 **THREE-PHASE ASYNCHRONOUS SQUIRREL CAGE MOTOR**

Voltage:	220/380V(230/400V)
Current:	1.3A/2.3A
Frequency:	50Hz
Output power:	600W
Rotate speed:	1400rpm
Shaft height:	80mm
Dimension:	320x180x190mm
Weight:	9kg

**TM600-1500DS** **DOUBLE SPEED THREE-PHASE ASYNCHRONOUS SQUIRREL CAGE MOTOR**

Voltage:	380V(400V)
Current:	1.5A/1.6A
Frequency:	50Hz
Output power:	600W
Rotate speed:	2800/1400rpm
Shaft height:	80mm
Dimension:	320x180x190mm
Weight:	9kg

**SM600-1500SR** **SINGLE-PHASE START & RUN CAPACITORS MOTOR**

Voltage:	220V(230V)
Current:	4.2A
Frequency:	50Hz
Output power:	600W
Rotate speed:	1400rpm
Shaft height:	80mm
Dimension:	310x180(195)x210mm
Weight:	12.5kg

**SM600-1500S** **SINGLE-PHASE START CAPACITOR MOTOR**

Voltage:	220V(230V)
Current:	4.2A
Frequency:	50Hz
Output power:	300W
Rotate speed:	1400rpm
Shaft height:	80mm
Dimension:	310x180(195)x210mm
Weight:	12.5kg



DM600-3000PM **NEW****PERMANENT MAGNET DC MOTOR**

Armature voltage: 0~220VDC
 Max. armature current: 3.3A
 Max. output power: 600W
 Max. rotate speed: 3000rpm
 Shaft height: 80mm
 Dimension: 260x180(190)x150mm
 Weight: 9kg

**DM600-3000SP** **NEW****SEPARATED/SHUNT DC MOTOR**

Armature & excitation voltage: 0~220VDC
 Max. armature current: 3.3A
 Max. excitation current: 0.14A
 Max. output power: 600W
 Max. rotate speed: 3000rpm
 Shaft height: 80mm
 Dimension: 280x180(200)x150mm
 Weight: 13.5kg

**DM600-3000SR** **NEW****SERIES DC MOTOR**

Armature & excitation voltage: 0~220VDC
 Max. armature & excitation current: 4.3A
 Max. output power: 600W
 Max. rotate speed: 1800rpm
 Shaft height: 80mm
 Dimension: 280x180(200)x150mm
 Weight: 13kg

**DM600-3000CP** **NEW****COMPOUND DC MOTOR**

Armature voltage: 0~220VDC
 Excitation voltage: 220VDC
 Max. armature current: 3.3A
 Excitation current: 0.13A
 Max. output power: 500W
 Max. rotate speed: 3000rpm
 Shaft height: 80mm
 Dimension: 280x180(200)x150mm
 Weight: 13.5kg



UM600-3000SP **NEW****DC/AC UNIVERSAL MOTOR**

Armature & excitation voltage:	220VDC/AC
Max. armature & excitation current:	DC 3.7A, AC 6.5A
Max. output power:	550W
Max. rotate speed:	3000rpm
Shaft height:	80mm
Dimension:	280x180(200)x150mm
Weight:	12.5kg

**DG600-3000SP** **NEW****DC GENERATOR**

Excitation voltage:	0~220VDC
Excitation current:	0.14A
Max. output voltage:	220VDC
Max. output power:	600W
Max. rotate speed:	3000rpm
Shaft height:	80mm
Dimension:	280x180(200)x150mm
Weight:	13.5kg

**TM600-1500SR** **NEW****THREE-PHASE SLIP-RING ASYNCHRONOUS MOTOR**

Voltage:	230V/400V
Current:	2.3A
Frequency:	50Hz
Output power:	600W
Rotate speed:	1250rpm
Shaft height:	80mm
Dimension:	325x180x180mm
Weight:	8.5kg

**TM600-1500S** **NEW****THREE-PHASE SYNCHRONOUS MOTOR/GENERATOR**

Voltage:	230V/400V
Current:	4.7A
Frequency:	50Hz
Rotor voltage:	24VDC
Rotor current:	2.6ADC
Output power:	400W
Rotate speed:	1500rpm
Shaft height:	80mm
Dimension:	325x180x180mm
Weight:	9.5kg

